Author Index

Akeson, R.A., see Wujek, J.R., 87

Arendash, G.W. and Gorski, R.A., Testosterone-induced enhancement of male medial preoptic tissue transplant volume in female recipients: a possible neuronotrophic action, 69

Barks, J., see Silverstein, F.S., 33

Bellport, V., see Sternberg, H., 316

Bennett, M.R., see Malik, R., 173

Benoit, P., Mariani, J., Delhaye-Bouchaud, N. and Chappuis, G., Evidence for a multiple innervation of cerebellar Purkinje cells by climbing fibers in adult ferrets infected at birth by a mink enteritis virus, 51

Bowe, C.M., Kocsis, J.D., Waxman, S.G. and Hildebrand, C., Physiological properties of regenerated rat sciatic nerve following lesions at different postnatal ages, 123

Bregman, B.S., Development of serotonin immunoreactivity in the rat spinal cord and its plasticity after neonatal spinal cord lesions, 245

Bregman, B.S., Spinal cord transplants permit the growth of serotonergic axons across the site of neonatal spinal cord transection, 265

Brugge, J.F., see Reale, R.A., 281

Burgoyne, R.D., see Cambray-Deakin, M.A., 1

Busciglio, J., see Ferreira, A., 9

Butcher, L.L., see Gould, E., 303

Cáceres, A., see Ferreira, A., 9

Cambray-Deakin, M.A., Norman, K.-M. and Burgoyne, R.D., Differentiation of the cerebellar granule cell: expression of a synaptic vesicle protein and the microtubule-associated protein MAP1A, 1

Casagrande, V.A., see Lachica, E.A., 298

Casanova, M.F., see Lowenstein, P.R., 291

Chan, J.C.K., see Reale, R.A., 281

Chappuis, G., see Benoit, P., 51

Condo, G.J., see Lachica, E.A., 298

Coyle, J.T., see Lowenstein, P.R., 291

Crabtree, J.W., see McCall, M.A., 223

Crabtree, J.W., see McCall, M.A., 235

Crepel, F., see Dupont, J.L., 59

Delhaye-Bouchaud, N., see Benoit, P., 51

Dupont, J.-L., Gardette, R. and Crepel, F., Postnatal development of the chemosensitivity of rat cerebellar Purkinje cells to excitatory amino acids. An in vitro study, 59

Ferreira, A., Busciglio, J. and Cáceres, A., An immunocytochemical analysis of the ontogeny of the microtubule-associated proteins MAP-2 and Tau in the nervous system of the rat, 9

Ferriero, D.M. and Sagar, S.M., Development of somatostatin immunoreactive neurons in rat retina, 207

Gardette, R., see Dupont, J.L., 59

Gorski, R.A., see Arendash, G.W., 69

Gould, E. and Butcher, L.L., Transient expression of choline acetyltransferase-like immunoreactivity in Purkinje cells of

the developing rat cerebellum, 303

Greuel, J.M., Luhmann, H.J. and Singer, W., Evidence for a threshold in experience-dependent long-term changes of kitten visual cortex, 141

Hendrickson, A.E., see Westenbroek, R.E., 191

Henneberry, R.C., see Novelli, A., 307

Hildebrand, C., see Bowe, C.M., 123

Hoeben, R.C., see Warringa, R.A.J., 79

Hudson, C., see Johnston, M.V., 41

Johnston, M.V. and Hudson, C., Effects of postnatal hypoxiaischemia on cholinergic neurons in the developing rat forebrain: choline acetyltransferase immunocytochemistry, 41 Johnston, M.V., see Silverstein, F.S., 33

Kocsis, J.D., see Bowe, C.M., 123

Koper, J.W., see Warringa, R.A.J., 79

Kornguth, S.E., see McCall, M.A., 223

Kornguth, S.E., see McCall, M.A., 235

Kriegstein, A.R., Suppes, T. and Prince, D.A., Cellular and synaptic physiology and epileptogenesis of developing rat neocortical neurons in vitro, 161

Lachica, E.A., Condo, G.J. and Casagrande, V.A., Development of cytochrome oxidase staining in the retina and lateral geniculate nucleus: a possible correlate of ON- and OFF-center channel maturation, 298

Laing, D.G., see Panhuber, H., 133

Le Douarin, N.M., see Xue, Z.-G., 99

Lopes-Cardozo, M., see Warringa, R.A.J., 79

Lowenstein, P.R., Slesinger, P.A., Singer, H.S., Walker, L.C., Casanova, M.F., Price, D.L. and Coyle, J.T., An autoradiographic study of the development of [3H]hemicholinium-3 binding sites in human and baboon basal ganglia: a marker for the sodium-dependent high affinity choline uptake system, 291

Loy, R. and Sheldon, R.A., Sexually dimorphic development of cholinergic enzymes in the rat septohippocampal system,

Luhmann, H.J., see Greuel, J.M., 141

Malik, R. and Bennett, M.R, Loss of polyneuronal innervation and establishment of a topographical map in the glutaeus muscle of *Bufo marinus* during generation of secondary muscle cells, 173

Mariani, J., see Benoit, P., 51

McCall, M.A., Spear, P.D., Crabtree, J.W. and Kornguth, S.E., Effects of antibodies to large retinal ganglion cells on developing retinogeniculate pathways in the cat, 223

McCall, M.A., Spear, P.D., Crabtree, J.W. and Kornguth, S.E., Effects of reduced numbers of lateral geniculate Ycells on development of ocular dominance in cat striate cortex, 235

Moore, R.Y., see Shibata, S., 311

Norman, K.-M., see Cambray-Deakin, M.A., 1

Novelli, A. and Henneberry, R.C., cGMP synthesis in cultured cerebellar neurons is stimulated by glutamate via a Ca²⁺-mediated, differentiation-dependent mechanism, 307

O'Donovan, M.J., see Williams, C., 215

Panhuber, H. and Laing, D.G., The size of mitral cells is altered when rats are exposed to an odor from their day of birth, 133

Price, D.L., see Lowenstein, P.R., 291 Prince, D.A., see Kriegstein, A.R., 161

Reale, R.A., Brugge, J.F. and Chan, J.C.K., Maps of auditory cortex in cats reared after unilateral cochlear ablation in the neonatal period, 281

Sagar, S.M. and Ferriero, D.M., 207

Sawa, A. and Stavinoha, W.B., Heterogeneity of postnatal development of ACh levels in brain regions of the mouse, 151

Schwartz, N.B., see Smalheiser, N.R., 111

Segall, P.E., see Sternberg, H., 316

Sheldon, R.A., see Loy, R., 156

Shibata, S. and Moore, R.Y., Development of neuronal activity in the rat suprachiasmatic nucleus, 311

Silverstein, F.S., Torke, L., Barks, J. and Johnston, M.V., Hypoxia-ischemia produces focal disruption of glutamate receptors in developing brain, 33

Singer, H.S., see Lowenstein, P.R., 291

Singer, W., see Greuel, J.M., 141

Slesinger, P.A., see Lowenstein, P.R., 291

Smalheiser, N.R. and Schwartz, N.B., Kinetic analysis of 'rapid onset' neurite formation in NG108-15 cells reveals a dual role for substratum-bound laminin, 111

Smith, J., see Xue, Z.-G., 99

Spear, P.D., see McCall, M.A., 223

Spear, P.D., see McCall, M.A., 235

Stavinoha, W.B., see Sawa, A., 151

Sternberg, H., Segall, P.E., Bellport, V. and Timiras, P.S., Glutamic acid decarboxylase activity in discrete hypothalamic nuclei during the development of rats, 316

Suppes, T., see Kriegstein, A.R., 161 Sykes, J.E.C., see Warringa, R.A.J., 79

Timiras, P.S., see Sternberg, H., 316 Torke, L., see Silverstein, F.S., 33

Van Golde, L.M.G., see Warringa, R.A.J., /9

Walker, L.C., see Lowenstein, P.R., 291

Warringa, R.A.J., Hoeben, R.C., Koper, J.W., Sykes, J.E.C., Van Golde, L.M.G. and Lopes-Cardozo, M., Hydrocortisone stimulates the development of oligodendrocytes in primary glial cultures and affects glucose metabolism and lipid synthesis in these cultures, 79

Waxman, S.G., see Bowe, C.M., 123

Westenbroek, R.E., Westrum, L.E., Hendrickson, A.E. and Wu, J.-Y., Immunocytochemical localization of cholecystokinin and glutamic acid decarboxylase during normal development in the prepyriform cortex of rats, 191

Westrum, L.E., see Westenbroek, R.E., 191

Williams, C., Wohlenberg, G. and O'Donovan, M.J., Regional variations in the extent and timing of motoneuron cell death in the lumbosacral spinal cord of the chick embryo, 215

Wohlenberg, G., see Williams, C., 215

Wu, J.-Y., see Westenbroek, R.E., 191

Wujek, J.R. and Akeson, R.A., Extracellular matrix derived from astrocytes stimulates neuritic outgrowth from PC12 cells in vitro, 87

Xue, Z.-G., Smith, J. and Le Douarin, N.M., Developmental capacities of avian embryonic dorsal root ganglion cells: neuropeptides and tyrosine hydroxylase in dissociated cell cultures, 99

